

THE NATIONAL CONFIDENTIAL INQUIRY INTO SUICIDE AND SAFETY IN MENTAL HEALTH

Address: Professor Louis Appleby, PO Box 86, Manchester, M20 2EF Tel: 0161 275 0700/0701

Scottish Suicide Questionnaire

Version: 05/2017

If other mental health professionals have been involved in the management of this patient, please consult them before completing this questionnaire

	Initials	Date
Checked by		
Inputted by		
Counterchecked by		
FOR OFFICE USE ONLY		

Director: Professor Louis Appleby

Work commissioned by The Healthcare Quality Improvement Partnership (HQIP)

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if

The National Confidential Inquiry will protect the confidentiality of this form but cannot do so for any copies. You are therefore advised not to keep a copy of this questionnaire once it is completed.

SECTION 1: Priority patients

The National Confidential Inquiry is particularly interested in suicides that occur in the circumstances described below. Please answer the following questions about the patient:

1.1 Was he/she a psychiatric in-patient at the time of suicide (including patients on leave)?

No = 0 Yes = 1

1.2 Did he/she die within 3 calendar months of discharge from psychiatric in-patient care?

No = 0 Yes = 1 Not applicable - in-patient at time of death = 7

1.3 Was he/she under the care of crisis teams* at the time of suicide?

No = 0 Yes = 1

* By crisis teams we mean patients receiving home-based acute care as an alternative to an in-patient admission or to facilitate step-down care, e.g. allowing early discharge. Frequently these are called crisis resolution and home treatment (CRHT) teams but other names are also used.

SECTION 2: Demographic information (at the time of death)

2.1 Age in years

2.2 Sex

M = 1 F = 2

2.3 Civil Status

- 1 Divorced/separated
- 2 Married/co-habiting
- 3 Single
- 4 Widowed

2.4 Employment Status

- 1 In paid employment (including part-time and self-employed)
- 2 Unemployed
- 3 Housewife/husband
- 4 Full-time student
- 5 Long-term sick
- 6 Retired
- 7 Government training scheme
- 8 Other (please specify)

2.5 Ethnicity/Nationality (based on ONS categories)

- 01 Black African
- 02 Black Caribbean
- 03 Black British
- 04 Indian/Pakistani/Bangladeshi
- 05 Asian British
- 06 Chinese
- 07 White British
- 08 White East European
- 09 White other
- 10 Mixed/multiple ethnic group
- 11 Arab/Middle Eastern
- 88 Other (please specify).....
- 99 Not known

2.6 To your knowledge what was the patient's sexual orientation?

- 1 Heterosexual
- 2 Lesbian or gay
- 3 Bisexual

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

2.7 Was the patient within a trans (transgender, transsexual, gender non-conformity) group?

No = 0 Yes = 1

2.8 Was the patient:

a) seeking permission to stay in the UK? (e.g. asylum seeker, refugee; visa had expired and individual seeking to continue living in the UK)

No = 0 Yes = 1

b) resident in the UK for less than 5 years?

No = 0 Yes = 1

2.9 Accommodation at the time of suicide (for in-patients, give accommodation prior to admission)

- 01 Homeless/no fixed abode
- 02 Bed & breakfast (long-term)
- 03 Hostel (supervised or unsupervised)/local authority accommodation
- 04 Secure children's home/secure training centre
- 05 House or flat
- 06 Nursing/care home
- 07 Prison/Young Offender Institution
- 08 Immigration Removal Centre/Short-term Holding Facility
- 88 Other (please specify)

2.10 Living Circumstances

- 1 Alone
- 2 With parent(s)
- 3 With spouse/partner (with or without children)
- 4 With child(ren) only (aged under 18)
- 5 Other shared (e.g. friends)
- 6 Foster family
- 7 Prison/Young Offender Institution
- 8 Other (please specify).....

2.11 Was the patient providing care for anyone else in the home?

No = 0 Yes = 1

2.12 Was the patient registered with a GP?

No = 0 Yes = 1

2.13 Was the person a former member of the Armed Forces?

No = 0 Yes = 1

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

SECTION 3: Psychosocial history

3.1 Primary psychiatric diagnosis

- 01 Schizophrenia and other delusional disorder
- 02 Drug-induced psychosis
- 03 Bipolar affective disorder
- 04 Depressive illness
- 05 Anxiety/phobia/panic disorder/OCD
- 06 PTSD
- 07 Eating disorder
- 08 Dementia
- 09 Alcohol dependence/misuse
- 10 Drug dependence/misuse
- 11 Personality disorder
- 12 Adjustment disorder
- 13 Organic disorder
- 14 Learning disability
- 15 Autism spectrum/Asperger's
- 16 ADHD
- 17 Conduct disorder
- 18 Somatoform/somatisation disorder
- 19 Mental disorder present but not able to specify
- 20 No information available/information lacking
- 77 No mental disorder (i.e. not 01 to 19 or 88)
- 88 Other (please specify)
- 99 Not known

3.2 Secondary Diagnosis (coding as above)

- 1) 2) 3) 4)

3.3 If the patient was diagnosed with personality disorder, what type was it?

- 1 Antisocial
- 2 Emotionally unstable/Borderline
- 3 Other (please specify).....
- 7 Not applicable

3.4 If the patient had psychosis, was the most recent episode a first episode psychosis?

- No = 0 Yes = 1 Not applicable = 7

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

3.5 Duration of mental illness (since clear onset of disorder coded under 3.1)

- 1 Less than 3 months
 2 3-12 months (but less than a year)
 3 1-5 years
 4 More than 5 years
 7 No mental disorder

3.6 When was the first contact with mental health services?

- 1 Less than 3 months ago
 2 3-12 months ago (but less than a year)
 3 1-5 years ago
 4 More than 5 years ago

Physical illness

The following questions ask about any major physical illness the patient had at the time of death.

3.7 Did the patient have a major physical illness at the time of death? (include conditions even if well controlled by treatment)

No = 0 Yes = 1 [If no , please go to question 3.9]

3.8 If yes, did the patient have any of the following major physical illnesses?

No = 0 Yes = 1

Cancer

Cardiovascular disease, including cerebrovascular disease

Chronic pain

Diabetes

Digestive system disease

Disease of the nervous system

Endocrine & metabolic disease

Impaired mobility

Musculoskeletal disease

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

Respiratory disease

Other (please specify).....

Specific physical diagnosis (optional).....

Patients aged under 25

The following questions are for patients who were aged under 25 at the time of death. If the patient was not aged under 25, please go to question 3.13.

3.9 Was there a history of Local Authority Care?

(e.g. in a children's home or foster care)

No = 0 Yes = 1

3.10 Did the patient previously have a childhood psychiatric diagnosis?

No = 0 Yes = 1

3.11 If the answer to 3.10 is yes, what was the primary diagnosis?

-
- 1 ADHD
 - 2 Conduct disorder
 - 3 Autism spectrum/Asperger's
 - 4 Emotional disorder, e.g. depression, anxiety, etc
 - 5 Psychosis
 - 8 Other (please specify).....

3.12 Had the patient been under the care of the following agencies as a child/minor:

No = 0 Yes = 1

Young Offender Institution

Child protection

Youth justice team

Secure care under Local Authority services
(e.g. secure children's home/secure treatment centre)

Child and adolescent mental health services

Other (please specify).....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

Lifetime history

The following questions ask about the lifetime experience of the patient.

Did the patient have a history of the following at any time?

No = 0 Yes = 1

3.13 Admission to a high security hospital/medium secure unit

3.14 Treatment by specialist military mental health services

3.15 Being in prison (including being a remand prisoner)

3.16 Family history of suicide

3.17 Self-harm

3.18 Alcohol misuse

3.19 Drug misuse

3.20 If there was a history of drug misuse, which substances were misused?

(Base your answer on frequency and potential harmfulness)

No = 0 Yes = 1 Not applicable = 7

Heroin/other opiates

Stimulants (e.g. amphetamines, LSD, mushrooms, crack/cocaine, ecstasy)

Benzodiazepines (other than as prescribed)

Cannabis

Skunk (or other potent forms of cannabis)

New psychoactive substances (often called 'legal highs')

Other (please specify).....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

3.21 Childhood abuse

No = 0 Yes = 1

Physical Emotional Sexual **3.22 Domestic/intimate partner violence, i.e. as a victim**0 No

1 Sexual assault

2 Physical assault

3 Both sexual and physical assault

3.23 Violence as a perpetrator (includes serious threat)0 No

1 Sexual assault

2 Physical assault

3 Both sexual and physical assault

Recent experiences

The following section is on life events that may have occurred in the 3 months before the suicide.

Did the patient recently experience any of the following?

No = 0 Yes = 1

3.24 Serious financial difficulties (e.g. debt, mortgage arrears)

If yes, please specify.....

3.25 Loss of job, benefits, or housing **3.26 Criminal charges** **3.27 Victim of crime** **3.28 Bereavement**

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

3.29 Other life events (please specify).....

.....

3.30 Self-harm

3.31 Alcohol misuse

3.32 Drug misuse

3.33 If there was recent drug misuse, which substances were misused?

(Base your answer on frequency and potential harmfulness)

No = 0 Yes = 1 Not applicable = 7

Heroin/other opiates

Stimulants (e.g. amphetamines, LSD, mushrooms, crack/cocaine, ecstasy)

Benzodiazepines (other than as prescribed)

Cannabis

Skunk (or other potent forms of cannabis)

New psychoactive substances (often called 'legal highs')

Other (please specify).....

3.34 Domestic/intimate partner violence, i.e. as a victim

0 No

1 Sexual assault

2 Physical assault

3 Both sexual and physical assault

3.35 Violence as a perpetrator (includes serious threat)

0 No

1 Sexual assault

2 Physical assault

3 Both sexual and physical assault

SECTION 4: DETAILS OF SUICIDE

Before sending you this form, we have usually been informed that the death has been classified as suicide or undetermined.

4.1 Method (if more than one, please give direct cause)

- 01 Self-poisoning
- 02 Strangulation
- 03 Hanging
- 04 Drowning
- 05 Firearms
- 06 Cutting or stabbing
- 07 Jumping from a height/multiple injuries
- 08 Jumping/lying before a train
- 09 Jumping/lying before any other vehicle
- 10 Burning
- 11 Electrocutation
- 12 Suffocation/asphyxiation
- 13 Inhalation of gases (please specify)

.....
88 Other (please specify)

.....
99 Not known

4.2 If self-poisoning, specify substance (if more than one substance, select most likely cause of death). If not self-poisoning, please go directly to question 4.5.

- 01 Antipsychotic drugs
- 02 Tricyclic anti-depressant
- 03 SSRI/SNRI anti-depressant
- 04 Lithium/Mood stabiliser
- 05 Other anti-depressant
- 06 Benzodiazepine/Hypnotic
- 07 Paracetamol
- 08 Paracetamol/opiate compound
- 09 Other analgesic
- 10 Opiate (heroin, methadone, etc)
- 11 Insulin
- 12 Other poisons (e.g. weed killer)
- 88 Other substance (please specify)

.....
99 Not known

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

4.3 If the substance in question 4.2 was an opiate, what type was it?

- 1 Heroin/morphine
- 2 Methadone
- 3 Codeine
- 4 Tramadol
- 7 Not applicable - substance was not an opiate
- 8 Other (please specify).....
.....

4.4 If the substance in question 4.2 was an opiate or a paracetamol/opiate compound, how was it obtained?

- 1 Prescribed for the patient for treatment of pain
- 2 Prescribed for the patient for treatment of drug misuse
- 3 Prescribed for someone else
- 4 Illicitly
- 5 Not prescribed, i.e. over the counter
- 7 Not applicable - substance was not an opiate or paracetamol/opiate compound
- 8 Other (please specify).....
.....

4.5 Did the suicide occur in the following circumstances?

No = 0 Yes = 1

Homicide followed by suicide

Died in a suicide pact

4.6 Was there evidence of suicide-related internet use?

No = 0 Yes = 1

Obtained information (e.g. method details) on how to die by suicide
(please specify source of information)

.....

Visited websites that may have encouraged suicide, including chat rooms

Communicated suicidal ideas/intent online

Experienced online bullying

Other (please specify).....
.....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

4.7 Did the suicide occur in a woman who was pregnant or post-natal?

- 0 No
 1 Yes, woman was pregnant
 2 Yes, suicide was less than one year after childbirth

4.8 Did the suicide occur in a public place?

- 0 No
 1 Multi-storey car park
 2 Bridge
 3 Coastal location
 4 Railway location
 5 Park/woods
 8 Other public place (please specify)

.....

4.9 To your knowledge, did the suicide occur on or near an anniversary or a significant date?

- 0 No
 1 The patient's birthday
 2 Anniversary of a death of a family member or friend
 3 Any other significant date (please specify)

.....

SECTION 5: In-patient suicides

Complete this section only if the patient was a **psychiatric in-patient** at the time of suicide (including patients on leave). Otherwise, go to Section 6 (page 16).

5.1 Date of admission to the in-patient unit

Day	Month	Year
<input type="text"/>	<input type="text"/>	<input type="text"/>

5.2 Please provide the time of death (if unknown please put best estimate using 24-hour clock)

5.3 Was the ward where the patient died within the local in-patient unit?

No = 0 Yes = 1

5.4 Type of ward (if patient was on leave, where they were prior to leave)

- 1 General psychiatry open ward
- 2 Psychiatric intensive care ward
- 3 Low/medium secure unit or high secure hospital
- 4 Rehabilitation unit
- 5 CAMHS ward (including forensic ward)
- 6 Eating disorders ward/unit
- 7 Older person's unit
- 8 Other (please specify)

5.5 Patient's legal status at the time of suicide

- 1 Informal/voluntary
- 2 Emergency detention (Part 5 MH (C&T) (s) A 2003)
- 3 Short term detention (Part 6 MH (C&T) (s) A 2003)
- 4 Compulsory treatment order (Part 7 MH (C&T) (s) A 2003)
- 5 Compulsion order (s.57 A CP (S) A 95)
- 6 Compulsion order with restriction (s.57 A + s.59 CP (S) A 95)
- 7 Detained under other forensic section
- 8 Other (please specify)

.....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

5.6 Did any of the following occur at the last admission?

No = 0 Yes = 1

Manual restraint

Seclusion

Urgent intramuscular (IM) or intravenous (IV) medication

5.7 Patient's observation status at the time of suicide

1 Constant (observation within eyesight or within arm's length)

2 Intermittent (observation every 15-30 minutes)

3 General observation

7 Not applicable - patient was on leave

8 Other (please specify)

5.8 Were there particular problems in observing this patient on the ward because of any of the following?

No = 0 Yes = 1

Ward design

Staff shortages

Staff were busy, e.g. with other patients, handover

Other (please specify).....

5.9 Where did the suicide take place?

1 On the ward

2 In hospital grounds (not on the ward)

3 Off hospital grounds

8 Other (please specify)

5.10 If the answer to question 5.9 is 2 or 3 or 8, to what extent had leave been granted at the time of suicide?

1 Patient was on agreed leave (day or overnight)

2 Patient was on agreed leave for longer than 24 hours (i.e. more than 1 night)

3 Patient was off the ward with staff agreement

4 Patient was off the ward without staff agreement

7 Not applicable - patient was on the ward at the time of suicide

8 Other (please specify)

.....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

5.11 If the suicide took place on the ward, what was the location of the suicide?

- 1 Shared room or dormitory
- 2 Single bedroom
- 3 Toilet/bathroom
- 4 En-suite bathroom
- 7 Not applicable - suicide occurred off the ward
- 8 Other (please specify).....

.....

5.12 If the suicide occurred on the ward by hanging/strangulation or asphyxiation:**a) What did the patient use in dying by this method?**

- 1 Sheet, towel etc.
- 2 Tie
- 3 Belt
- 4 Shoelaces
- 5 Item brought in specifically for purpose (e.g. rope)
- 6 Plastic bag
- 7 Not applicable - death was not by hanging/strangulation or asphyxiation on ward
- 8 Other (please specify).....

.....

b) What did the patient hang/strangle him/herself from?

- 1 Bed curtain rail
- 2 Pipes
- 3 Hook or handle
- 4 Door
- 5 Bed head
- 6 Window
- 7 Not applicable - death was not by hanging/strangulation on ward
- 8 Other (please specify).....

.....

SECTION 6: Community patients (including patients no longer in contact with services)

Complete this section if the patient was living outside hospital at the time of suicide.

Last admission

6.1 Nature of last admission to psychiatric in-patient care

- 0 None [If none, please go directly to question 6.13]
- 1 Informal/voluntary
- 2 Emergency detention (Part 5 MH (C&T) (s) A 2003)
- 3 Short term detention (Part 6 MH (C&T) (s) A 2003)
- 4 Compulsory treatment order (Part 7 MH (C&T) (s) A 2003)
- 5 Compulsion order (s.57 A CP (S) A 95)
- 6 Compulsion order with restriction (s.57 A + s.59 CP (S) A 95)
- 8 Other (please specify)
-

6.2 Was the last admission to the local in-patient unit?

No = 0 Yes = 1

6.3 Duration of last admission

- 1 3 days or less
- 2 4-7 days
- 3 More than 1 week but less than 4 weeks
- 4 Between 4 and 13 weeks
- 5 More than 13 weeks

6.4 Was this a re-admission within 3 months of a previous discharge from psychiatric in-patient care?

No = 0 Yes = 1

Post-discharge and follow-up

**6.5 Date of last discharge from psychiatric in-patient care
(if patient was discharged in last year)**

Day	Month	Year
<input type="text"/>	<input type="text"/>	<input type="text"/>

(Note. Please enter **77** if the patient was not discharged in last year or enter **99** if date was unknown)

6.6 Nature of last discharge from psychiatric in-patient care

- 1 Planned
 2 Discharge following self-harm or breach of ward rules (e.g. drinking, violence)
 3 Self-discharge
 8 Other (please specify)

6.7 In your opinion, had the patient been discharged before risk had sufficiently been reduced?

No = 0 Yes = 1

6.8 If yes, in your opinion was this due to any of the following factors?

No = 0 Yes = 1 Not applicable = 7

Pressure on beds

Pressure from the patient or family

Policy locally

Other (please specify)

6.9 Was the patient being discharged to any of the following unresolved problems?

No = 0 Yes = 1

Housing, financial, employment problems

Poor social support

Drug/alcohol misuse

Physical ill health

Other (please specify).....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

6.10 Following discharge from psychiatric in-patient care, when was the first follow-up contact with a member of the multi-disciplinary team?

- 0 No follow-up arranged [If no follow-up, please go to question 6.13]
 1 Within 3 days
 2 More than 3 days but within a week
 3 A week or more
 8 Other (please specify)

6.11 Did the suicide occur before the follow-up appointment took place?

No = 0 Yes = 1

6.12 What was the nature of the first follow-up contact with psychiatric services?

- 1 Face-to-face
 2 Telephone
 3 SMS/email/Skype (or similar)
 8 Other (please specify).....

Crisis teams/CRHT

If the patient was not under the care of CRHT at the time of death, please go to question 6.15

6.13 How long had the patient been under the care of CRHT services?

- 1 Less than 24 hours
 2 More than 1 day but less than 1 week
 3 A week or more

6.14 Did the care plan under CRHT include provision of additional social support at home, e.g. from a relative, friend or neighbour?

No = 0 Yes = 1

Compulsory Treatment Order

6.15 Was the patient made subject to a Compulsory Treatment Order (CTO) in the community at the time of his/her last discharge?

No = 0 Yes = 1 Not applicable - no previous admission = 7

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

6.16 Was the patient subject to a CTO in the community at the time of death?

- 1 Yes
 2 No, CTO revoked
 7 Not applicable – not subject to CTO or no previous admission

6.17 How long had the patient been under a CTO?

- 1 Less than 6 months
 2 Between 6 months and a year
 3 A year or more
 7 Not applicable – not subject to CTO or no previous admission

Early intervention

6.18 Was the patient seen under Early Intervention services?

No = 0 Yes = 1

6.19 If yes, was the patient seen within two weeks of referral?

No = 0 Yes = 1 Not applicable - patient not seen under EI = 7

Section 297

6.20 Was the patient conveyed to a hospital based place of safety under S297 of the MHA in the 3 months prior to suicide?

No = 0 Yes = 1

6.21 If yes, what was the result?

- 1 Assessment only - no follow-up
 2 Referral to a mental health team for further follow-up
 3 Referral to another service for follow-up
 4 Admission
 7 Not applicable
 8 Other (please specify)

6.22 Was the patient conveyed to a custody based place of safety under S297 of the MHA in the 3 months prior to suicide?

No = 0 Yes = 1

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

6.23 If yes, what was the result?

- 1 Assessment only - no follow-up
- 2 Referral to a mental health team for further follow-up
- 3 Referral to another service for follow-up
- 4 Admission
- 7 Not applicable
- 8 Other (please specify)

Accident and Emergency

6.24 Was the patient seen in the A & E Department for self-harm in the 3 months prior to suicide?

No = 0 Yes = 1

6.25 If yes, what was the result?

- 1 Assessment only - no follow-up
- 2 Referral to a mental health team for further follow-up
- 3 Referral to another service for follow-up
- 4 Admission to a psychiatric bed
- 7 Not applicable
- 8 Other (please specify)

Recent contact with services

We have asked you about contact the patient had with a range of specialist services. In addition to these, we would like to know whether there was contact with other teams or services.

6.26 Which other services was the patient under at the time of death?

No = 0 Yes = 1

Maternal/perinatal mental health

(Assertive) outreach service

Specialist personality disorder service

Drug services

Alcohol services

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

- IAPT
- Acute day hospital
- Older peoples' mental health services
- Specialist military mental health services
- CAMHS
- Children's social services (including child protection services)
- Criminal justice liaison and diversion team/street triage
- Forensic community team
- Probation
- Employment services
- Other (please specify).....

6.27 Was the contact the patient had with services a one-off contact?

No = 0 Yes = 1

6.28 Had the patient been subject to an urgent referral to specialist mental health services by a GP in the 3 months prior to suicide?

No = 0 Yes = 1

6.29 If yes, what was the result?

- 1 Assessment only – no follow-up
- 2 Referral to mental health team but not seen
- 3 Admission
- 4 Not yet seen
- 7 Not applicable
- 8 Other (please specify)

6.30 Had the patient been subject to a routine referral to specialist mental health services by a GP in the 3 months prior to suicide?

No = 0 Yes = 1

6.31 If yes, what was the result?

- 1 Assessment only – no follow-up
- 2 Referral to mental health team but not seen
- 3 Admission
- 4 Not yet seen
- 7 Not applicable
- 8 Other (please specify)

6.32 Had there been a transition from CAMHS to adult services in the previous year?

No = 0 Yes = 1

Loss of contact with services

6.33 Did the patient miss their last appointment (with any member of the mental health team in a clinic or in the community)?

No = 0 Yes = 1

6.34 Following the missed appointment, what action was taken?

No = 0 Yes = 1 Patient did not miss final appointment = 7

Patient discharged from follow-up

Further appointment/letter sent

Telephone call to patient to arrange follow-up

Professional home visit (face-to-face)

GP informed

Contact between mental health team and patient's family

SECTION 7: Treatment (all patients)

The following questions refer to the treatment that the patient was receiving at the time of death.

7.1 Which of the following interventions was the patient receiving at the time of death?

No = 0 Yes = 1

Drug treatment

Antipsychotics:

Oral

Depot

Antidepressants:

Tricyclics

SSRI/SNRI and related

Lithium/mood stabilisers

Other antidepressants

Benzodiazepines

Other psychotropic drugs

Other drug treatment (please specify).....

Psychological treatment (a course of CBT, family therapy, IPT, group therapy)

(please specify)

Educational/employment support

(please specify)

7.2 Was he/she refusing to take medication as prescribed (e.g. non-adherent) in the month before death?

No = 0 Yes = 1

(Note: Enter 0 if no medication was prescribed)

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

7.3 Did the patient complain of distressing psychotropic drug side-effects?

No = 0 Yes = 1 Not prescribed medication = 7

7.4 If yes, what type of side effects did the patient complain of?

No = 0 Yes = 1 No side effects/not prescribed medication = 7

Weight gain

Extrapyramidal symptoms

Sedation

Arousal/agitation/insomnia

Sexual dysfunction

Other (please specify)

7.5 What was the main reason for not taking medication as prescribed?

- 1 Side effects
- 2 Lack of insight into illness
- 3 Dependence (e.g. persistent benzodiazepine use against medical advice)
- 4 Patient found no positive effect from medication
- 5 Stigma attached to taking medication
- 6 Not applicable - patient not prescribed medication
- 7 Not applicable - patient was taking medication as prescribed
- 8 Other (please specify)

7.6 Which of the following happened in response to the patient not taking medication as prescribed?

No = 0 Yes = 1 Taking medication as prescribed/not prescribed meds = 7

Patient discharged

Further appointment/letter sent

Telephone call to patient

Professional home visit (face-to-face)

GP was informed

Contact between mental health team and patient's family

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

SECTION 8: Last contact (all patients)

The following questions refer to the **last formal contact or appointment with a member of the mental health team** before suicide (i.e. telephone or face-to-face contact). In the case of in-patients this refers to the **last consultation with a member of clinical staff**.

8.1 How long before the suicide did the last contact occur?

- 1 Less than 24 hours
- 2 1-7 days
- 3 More than 1 week to 4 weeks
- 4 More than 4 weeks to 13 weeks
- 5 More than 13 weeks

8.2 What was the nature of the last contact?

- 1 Face-to-face
- 2 Telephone
- 3 Other media, e.g. SMS/email/Skype (or similar)
- 8 Other (please specify).....

.....

8.3 What was the reason for this last contact?

- 1 Routine/non-urgent
- 2 Urgent request by patient/family
- 3 Urgent request by professional
- 4 Section 297 MH (C&T) (s) A 2003
- 5 Assessment after self-harm
- 6 Request for self-discharge (in-patient)
- 8 Other (please specify)

8.4 Where did this last contact take place?

- 01 Patient's home
- 02 Community/GP clinic
- 03 A&E department
- 04 Mental Health Unit (including outpatients and day hospitals)
- 05 Psychiatric in-patient ward
- 06 Telephone contact
- 07 Medical ward
- 08 Criminal justice setting
- 88 Other (please specify).....
- 99 Not known

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

8.5 Was there clear evidence of any of the following at last contact?

No = 0 Yes = 1

Deterioration in mental state

Increased use of alcohol/drugs

Decrease in social support

Increasing suicidal ideas or self-harm

Risk assessment

The following questions refer to the assessment of suicide risk.

8.6 How high was the long term risk thought to be, at last contact?

- 1 No risk
- 2 Low
- 3 Moderate
- 4 High
- 5 Risk not considered

8.7 How high was the immediate risk thought to be, at last contact?

- 1 No risk
- 2 Low
- 3 Moderate
- 4 High
- 5 Risk not considered

8.8 Were any specific structured risk assessment tools used to measure risk of violence/suicide/self-harm?

No = 0 Yes = 1

If yes, please specify.....

8.9 If yes, was this a locally developed assessment tool?

No = 0 Yes = 1 Not applicable = 7

SECTION 9: Your view on prevention

Which of the following would have made the suicide significantly less likely at that time?

No = 0 Yes = 1

9.1 Better supervision of junior/inexperienced staff

9.2 Increased staffing

9.3 Better staff training in risk assessment

9.4 Closer supervision of patient

9.5 Closer working with GP

9.6 Use of mental health legislation

(please specify).....

9.7 Better communication between teams

9.8 Less frequent use of agency/locum staff

9.9 Closer contact with patient's family

9.10 Better out of hours care

9.11 Greater availability of psychiatric beds

9.12 Decrease in case loads

9.13 Better crisis facilities

9.14 Availability of dual diagnosis, alcohol or drug services

9.15 Increased access or lower waiting times for psychological therapies

9.16 Patient taking medication in line with treatment plan (e.g. adherence with treatment)

9.17 Other (please specify).....

.....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

SECTION 10: Case review

10.1 Please use this section to give us any additional information that has not already been covered

.....

10.2 Can you give examples of good practice in your service that other services might adopt?

.....

The following questions relate to the time period following the suicide:

10.3 Has there been a review or investigation of the case following the patient's death?

No = 0 Yes = 1

10.4 Did the relatives/carers of the patient take part in the review process?

No = 0 Yes = 1 Not applicable (no review) = 7

10.5 Did the relatives/carers of the patient receive any formal support following his/her death?

No = 0 Yes = 1

If yes, please specify.....

10.6 In your opinion, were positive changes made to mental health care as a result of the review or internal investigation?

0 No
 1 Yes, within the team
 2 Yes, within the wider trust/health board
 7 Not applicable

If yes, please specify.....

Enter what you consider to be the most accurate answer in the box on the right-hand side. If not known, enter 9 if not otherwise specified.

SECTION 11: Your details

11.1 Were you the clinician responsible for the patient's care at any point during the year before death?

No = 0 Yes = 1

11.2 Did you know the patient personally?

No = 0 Yes = 1

11.3 Completed by (Name):

11.4 Signature:

11.5 Job title:

11.6 Contact telephone number:

*Thank you for completing this questionnaire.
Please return to Professor Louis Appleby, PO Box 86, Manchester, M20 2EF*

FOR OFFICE USE ONLY:

11.7 Country in which patient was treated:

1	England	2	Wales
3	Scotland	4	Northern Ireland