

EABCT 2026 – Adam O’Neill presentation references

1. Donker T, Cateora A, Grant JB, van Spijker B, Fenton K, Hehir KK, et al. Suicide prevention in schizophrenia spectrum disorders and psychosis: a systematic review. *BMC Psychol*. 2013;1: 6. doi: [10.1186/2050-7283-1-6](https://doi.org/10.1186/2050-7283-1-6).
2. Hor K, Taylor M. Suicide and schizophrenia: a systematic review of rates and risk factors. *J Psychopharmacol*. 2010;24(4 Suppl): 81–90. doi: [10.1177/1359786810385490](https://doi.org/10.1177/1359786810385490).
3. Correll CU, Solmi M, Croatto G, Schneider LK, Rohani-Montez SC, Fairley L, et al. Mortality in people with schizophrenia: a systematic review and meta-analysis of relative risk and aggravating or attenuating factors. *World Psychiatry*. 2022;21: 248–271. doi: [10.1002/wps.20994](https://doi.org/10.1002/wps.20994).
4. Bai W, Liu ZH, Jiang YY, Zhang QE, Rao WW, Cheung T, et al. Worldwide prevalence of suicidal ideation and suicide plan among people with schizophrenia: a meta-analysis and systematic review of epidemiological surveys. *Transl Psychiatry*. 2021;11: 552. doi: [10.1038/s41398-021-01671-6](https://doi.org/10.1038/s41398-021-01671-6).
5. Fialko L, Freeman D, Bebbington PE, Kuipers E, Garety PA, Dunn G, et al. Understanding suicidal ideation in psychosis: findings from the Psychological Prevention of Relapse in Psychosis (PRP) trial. *Acta Psychiatr Scand*. 2006;114: 177–186. doi: [10.1111/j.1600-0447.2006.00849.x](https://doi.org/10.1111/j.1600-0447.2006.00849.x).
6. Lorentzen EA, Mors O, Kjær JN. The prevalence of self-injurious behavior in patients with schizophrenia spectrum disorders: a systematic review and meta-analysis. *Schizophr Bull Open*. 2022;3: sgac069. doi: [10.1093/schizbullopen/sgac069](https://doi.org/10.1093/schizbullopen/sgac069).
7. Chapman CL, Mullin K, Ryan CJ, Kuffel A, Nielssen O, Large MM. Meta-analysis of the association between suicidal ideation and later suicide among patients with either a schizophrenia spectrum psychosis or a mood disorder. *Acta Psychiatr Scand*. 2015;131: 162–173. doi: [10.1111/acps.12359](https://doi.org/10.1111/acps.12359).
8. Černis E, Beierl E, Molodynski A, Ehlers A, Freeman D. A new perspective and assessment measure for common dissociative experiences: “Felt Sense of Anomaly”. *PLoS One*. 2021;16: e0247037. doi: [10.1371/journal.pone.0247037](https://doi.org/10.1371/journal.pone.0247037).
9. Černis E, Molodynski A, Ehlers A, Freeman D. Dissociation in patients with non-affective psychosis: prevalence, symptom associations, and maintenance factors. *Schizophr Res*. 2022;239: 11–18. doi: [10.1016/j.schres.2021.11.008](https://doi.org/10.1016/j.schres.2021.11.008).
10. O’Neill A, Haddock G, Stalker K, Barnett K, Pearson A, Edge D, et al. The prevalence of clinical-level dissociation and dissociative phenomena in non-affective psychosis: a systematic review, narrative synthesis, and meta-analysis. *BMC Psychiatry*. 2026. Under review.
11. O’Neill A, Haddock G, Stalker K, Barnett K, Pearson A, Edge D, et al. The severity of dissociation and dissociative phenomena in non-affective psychosis: a systematic review and meta-analyses. *BMC Psychiatry*. 2026. doi: [10.1186/s12888-026-08424-z](https://doi.org/10.1186/s12888-026-08424-z).
12. Davies G, Haddock G, Yung AR, Mulligan LD, Kyle SD. A systematic review of the nature and correlates of sleep disturbance in early psychosis. *Sleep Med Rev*. 2017;31: 25–38. doi: [10.1016/j.smrv.2016.01.001](https://doi.org/10.1016/j.smrv.2016.01.001).
13. Ferrarelli F. Sleep disturbances in schizophrenia and psychosis. *Schizophr Res*. 2020;221: 1. doi: [10.1016/j.schres.2020.05.022](https://doi.org/10.1016/j.schres.2020.05.022).

14. Laskemoen JF, Simonsen C, Büchmann C, Barrett EA, Bjella T, Lagerberg TV, et al. Sleep disturbances in schizophrenia spectrum and bipolar disorders – a transdiagnostic perspective. *Compr Psychiatry*. 2019;91: 6–12. doi: [10.1016/j.comppsy.2019.02.006](https://doi.org/10.1016/j.comppsy.2019.02.006).
15. Poe SL, Brucato G, Bruno N, Arndt LY, Ben-David S, Gill KE, et al. Sleep disturbances in individuals at clinical high risk for psychosis. *Psychiatry Res*. 2017;249: 240–243.
16. Reeve S, Sheaves B, Freeman D. Sleep disorders in early psychosis: incidence, severity, and association with clinical symptoms. *Schizophr Bull*. 2019;45: 287–295.
17. Chan MS, Chung KF, Yung KP, Yeung WF. Sleep in schizophrenia: a systematic review and meta-analysis of polysomnographic findings in case-control studies. *Sleep Med Rev*. 2017;32: 69–84.
18. Mulligan LD, Haddock G, Emsley R, Neil ST, Kyle SD. High resolution examination of the role of sleep disturbance in predicting functioning and psychotic symptoms in schizophrenia: a novel experience sampling study. *J Abnorm Psychol*. 2016;125: 788–797. doi: [10.1037/abn0000180](https://doi.org/10.1037/abn0000180).
19. Kasanova Z, Hajdúk M, Thewissen V, Myin-Germeys I. Temporal associations between sleep quality and paranoia across the paranoia continuum: an experience sampling study. *J Abnorm Psychol*. 2020;129: 122–130. doi: [10.1037/abn0000453](https://doi.org/10.1037/abn0000453).
20. Bruno S, Cichetti G, Velotti P. Multidimensional perspective of dissociation and suicide-related outcomes: a meta-analysis and systematic review. *Clin Psychol Rev*. 2025;121: 102647. doi: [10.1016/j.cpr.2025.102647](https://doi.org/10.1016/j.cpr.2025.102647).
21. Creatura GM, Ered A, Murty VP, Ellman LM. The relationship between sleep, dissociation and psychotic-like experiences. *Early Interv Psychiatry*. 2022;16: 1353–1358. doi: [10.1111/eip.13284](https://doi.org/10.1111/eip.13284).
22. Johnson MR, Bower J, Reeve S. Testing the mediating role of negative affect, affect intolerance, and dissociation in the relationship between sleep loss and psychotic experiences. *J Psychiatr Res*. 2026. doi: [10.1016/j.jpsychires.2026.06.028](https://doi.org/10.1016/j.jpsychires.2026.06.028).
23. Koffel E, Watson D. Unusual sleep experiences, dissociation, and schizotypy: evidence for a common domain. *Clin Psychol Rev*. 2009;29: 548–559. doi: [10.1016/j.cpr.2009.06.004](https://doi.org/10.1016/j.cpr.2009.06.004).
24. van der Kloet D, Merckelbach H, Giesbrecht T, Lynn SJ. Fragmented sleep, fragmented mind: the role of sleep in dissociative symptoms. *Perspect Psychol Sci*. 2012;7: 159–175. doi: [10.1177/1745691612437597](https://doi.org/10.1177/1745691612437597).
25. Li SX, Lam SP, Zhang J, Yu MWM, Chan JWY, Chan CSY, et al. Sleep disturbances and suicide risk in an 8-year longitudinal study of schizophrenia-spectrum disorders. *Sleep*. 2016;39: 1275–1282. doi: [10.5665/sleep.5852](https://doi.org/10.5665/sleep.5852).
26. O'Neill A, Haddock G, Stalker K, Barnett K, Pearson A, Edge D, et al. Exploring potential relationships between dissociation and suicidality in non-affective psychosis: a systematic review and narrative synthesis. *BJPsych Open*. 2026. Forthcoming.
27. Buysse DJ, Reynolds CF, Monk TH, Berman SR, Kupfer DJ. The Pittsburgh sleep quality index: a new instrument for psychiatric practice and research. *Psychiatry Res*. 1989;28: 193–213. doi: [10.1016/0165-1781\(89\)90047-4](https://doi.org/10.1016/0165-1781(89)90047-4).
28. Braun V, Clarke V, Hayfield N, Davey L, Jenkinson E. Doing reflexive thematic analysis. In: Bager-Charleson S, McBeath A, editors. *Supporting research in counselling and psychotherapy: qualitative, quantitative, and mixed methods research*. Springer International Publishing; 2023. pp. 19–38. doi: [10.1007/978-3-031-13942-0_2](https://doi.org/10.1007/978-3-031-13942-0_2).